
CHAPTER 4

STORMWATER DRAINAGE SYSTEM DESIGN

Table of Contents

SECTION 4.1 STORMWATER DRAINAGE DESIGN OVERVIEW

4.1.1 Stormwater Drainage System Design	4.1-1
4.1.1.1 Introduction	4.1-1
4.1.1.2 Drainage System Components.....	4.1-1
4.1.1.3 Checklist for Drainage Planning and Design	4.1-2
4.1.2 Key Issues in Stormwater Drainage Design	4.1-2
4.1.2.1 Introduction	4.1-2
4.1.2.2 General Drainage Design Considerations	4.1-3
4.1.2.3 Street and Roadway Gutters	4.1-3
4.1.2.4 Inlets and Drains	4.1-4
4.1.2.5 Storm Drain Pipe Systems (Storm Sewers).....	4.1-4
4.1.2.6 Culverts.....	4.1-4
4.1.2.7 Open Channels	4.1-5
4.1.2.8 Energy Dissipators	4.1-5
4.1.3 Design Storm Recommendations.....	4.1-6
References.....	4.1-7

SECTION 4.2 MINOR DRAINAGE SYSTEM DESIGN

4.2.1 Overview	4.2-1
4.2.1.1 Introduction	4.2-1
4.2.1.2 General Criteria.....	4.2-1
4.2.2 Symbols and Definitions	4.2-2
4.2.3 Street and Roadway Gutters	4.2-2
4.2.3.1 Formula.....	4.2-3
4.2.3.2 Nomograph	4.2-3
4.2.3.3 Manning's n Table	4.2-3
4.2.3.4 Uniform Cross Slope	4.2-3
4.2.3.5 Composite Gutter Sections.....	4.2-4
4.2.3.6 Examples	4.2-9
4.2.4 Stormwater Inlets	4.2-10
4.2.5 Grate Inlets Design	4.2-10
4.2.5.1 Grate Inlets on Grade.....	4.2-10
4.2.5.2 Grate Inlets in Sag	4.2-15

4.2.6 Curb Inlet Design	4.2-17
4.2.6.1 Curb Inlets on Grade.....	4.2-17
4.2.6.2 Curb Inlets in Sump	4.2-21
4.2.7 Combination Inlets.....	4.2-25
4.2.7.1 On Grade.....	4.2-25
4.2.7.2 In Sump	4.2-25
4.2.8 Storm Drain Pipe Systems	4.2-26
4.2.8.1 Introduction.....	4.2-26
4.2.8.2 General Design Procedure	4.2-26
4.2.8.3 Design Criteria	4.2-26
4.2.8.4 Capacity Calculations	4.2-28
4.2.8.5 Nomographs and Table	4.2-28
4.2.8.6 Hydraulic Grade Lines	4.2-29
4.2.8.7 Minimum Grade	4.2-36
4.2.8.8 Storm Drain Storage	4.2-36
References	4.2-37

SECTION 4.3 CULVERT DESIGN

4.3.1 Overview	4.3-1
4.3.2 Symbols and Definitions.....	4.3-1
4.3.3 Design Criteria.....	4.3-2
4.3.3.1 Frequency Flood.....	4.3-2
4.3.3.2 Velocity Limitations	4.3-2
4.3.3.3 Buoyancy Protection	4.3-2
4.3.3.4 Length and Slope.....	4.3-2
4.3.3.5 Debris Control.....	4.3-2
4.3.3.6 Headwater Limitations	4.3-2
4.3.3.7 Tailwater Considerations	4.3-3
4.3.3.8 Storage	4.3-3
4.3.3.9 Culvert Inlets.....	4.3-4
4.3.3.10 Inlets with Headwalls	4.3-4
4.3.3.11 Wingwalls and Aprons	4.3-4
4.3.3.12 Improved Inlets	4.3-4
4.3.3.13 Material Selection	4.3-4
4.3.3.14 Culvert Skews.....	4.3-4
4.3.3.15 Culvert Sizes.....	4.3-4
4.3.3.16 Weep Holes	4.3-4
4.3.3.17 Outlet Protection	4.3-6
4.3.3.18 Erosion and Sediment Control	4.3-6
4.3.3.19 Environmental Considerations	4.3-6
4.3.4 Design Procedures.....	4.3-7
4.3.4.1 Inlet and Outlet Control	4.3-7
4.3.4.2 Procedures	4.3-7
4.3.4.3 Nomographs	4.3-7
4.3.4.4 Design Procedure	4.3-10
4.3.4.5 Performance Curves - Roadway Overtopping	4.3-10
4.3.4.6 Storage Routing.....	4.3-11
4.3.5 Culvert Design Example.....	4.3-13
4.3.5.1 Introduction.....	4.3-13
4.3.5.2 Example.....	4.3-13
4.3.5.3 Example Data	4.3-13
4.3.5.4 Computations	4.3-13

4.3.6 Design Procedures for Beveled-Edged Inlets	4.3-16
4.3.6.1 Introduction	4.3-16
4.3.6.2 Design Figures	4.3-16
4.3.6.3 Design Procedure	4.3-16
4.3.6.4 Design Figure Limits.....	4.3-16
4.3.6.5 Multibarrel Installations.....	4.3-17
4.3.6.6 Skewed Inlets.....	4.3-17
4.3.7 Flood Routing and Culvert Design	4.3-17
4.3.7.1 Introduction	4.3-17
4.3.7.2 Design Procedure	4.3-18
4.3.8 Culvert Design Charts and Nomographs	4.3-19
References	4.3-79

SECTION 4.4 OPEN CHANNEL DESIGN

4.4.1 Overview	4.4-1
4.4.1.1 Introduction	4.4-1
4.4.1.2 Open Channel Types	4.4-1
4.4.2 Symbols and Definitions	4.4-2
4.4.3 Design Criteria	4.4-3
4.4.3.1 General Criteria.....	4.4-3
4.4.3.2 Velocity Limitations.....	4.4-3
4.4.4 Manning's n Values	4.4-3
4.4.5 Uniform Flow Calculations	4.4-5
4.4.5.1 Design Charts	4.4-5
4.4.5.2 Manning's Equations	4.4-5
4.4.5.3 Geometric Relationships	4.4-5
4.4.5.4 Direct Solutions	4.4-5
4.4.5.5 Trial and Error Solutions.....	4.4-14
4.4.6 Critical Flow Calculations	4.4-16
4.4.6.1 Background.....	4.4-16
4.4.6.2 Semi-Empirical Equations	4.4-16
4.4.7 Vegetative Design	4.4-19
4.4.7.1 Introduction	4.4-19
4.4.7.2 Design Stability	4.4-19
4.4.7.3 Design Capacity	4.4-20
4.4.8 Riprap Design	4.4-22
4.4.8.1 Assumptions.....	4.4-22
4.4.8.2 Procedure	4.4-22
4.4.9 Uniform Flow - Example Problems	4.4-26
4.4.10 Gradually Varied Flow	4.4-30
4.4.11 Rectangular, Triangular and Trapezoidal Open Channel Design Figures	4.4-30
4.4.11.1 Introduction	4.4-30
4.4.11.2 Description of Figures	4.4-30
4.4.11.3 Instructions for Rectangular and Trapezoidal Figures.....	4.4-31
4.4.11.4 Grassed Channel Figures.....	4.4-36
4.4.11.5 Description of Figures	4.4-36
4.4.11.6 Instructions for Grassed Channel Figures	4.4-36
4.4.12 Open Channel Design Figures	4.4-40
4.4.13 Triangular Channel Nomograph	4.4-68
4.4.14 Grassed Channel Design Figures	4.4-69
References	4.4-74

SECTION 4.5 ENERGY DISSIPATION DESIGN

4.5.1 Overview	4.5-1
4.5.1.1 Introduction	4.5-1
4.5.1.2 General Criteria	4.5-1
4.5.1.3 Recommended Energy Dissipators	4.5-1
4.5.2 Symbols and Definitions	4.5-2
4.5.3 Design Guidelines	4.5-2
4.5.4 Riprap Aprons	4.5-5
4.5.4.1 Description	4.5-5
4.5.4.2 Design Procedure	4.5-5
4.5.4.3 Design Considerations	4.5-9
4.5.4.4 Example Designs	4.5-9
4.5.5 Riprap Basins	4.5-10
4.5.5.1 Description	4.5-10
4.5.5.2 Basin Features	4.5-10
4.5.5.3 Design Procedure	4.5-10
4.5.5.4 Design Considerations	4.5-16
4.5.5.5 Example Designs	4.5-16
4.5.6 Baffled Outlets	4.5-21
4.5.6.1 Description	4.5-21
4.5.6.2 Design Procedure	4.5-21
4.5.6.3 Example Design	4.5-23
References	4.5-24

List of Tables

4.2-1	Symbols and Definitions	4.2-2
4.2-2	Manning's n Values for Street and Pavement Gutters	4.2-3
4.2-3	Grate Debris Handling Efficiencies.....	4.2-11
4.3-1	Symbols and Definitions	4.3-1
4.3-2	Inlet Coefficients	4.3-5
4.3-3	Manning's n Values	4.3-6
4.4-1	Symbols and Definitions	4.4-2
4.4-2	Maximum Velocities for Comparing Lining Materials	4.4-4
4.4-3	Maximum Velocities for Vegetative Channel Linings	4.4-4
4.4-4	Manning's Roughness Coefficients (n) for Artificial Channels	4.4-6
4.4-5	Uniform Flow Values of Roughness Coefficient n.....	4.4-8
4.4-6	Classification of Vegetal Covers as to Degrees of Retardance	4.4-10
4.4-7	Critical Depth Equations for Uniform Flow in Selected Channel Cross Sections...	4.4-17
4.5-1	Symbols and Definitions	4.5-2

List of Figures

4.1-1	Alternate Roadway Section without Gutters	4.1-3
4.1-2	Compound Channel	4.1-5
4.2-1	Flow in Triangular Gutter Sections	4.2-6
4.2-2	Ratio of Frontal Flow to Total Gutter Flow	4.2-7
4.2-3	Flow in Composite Gutter Sections	4.2-8
4.2-4	Grate Inlet Frontal Flow Interception Efficiency	4.2-13
4.2-5	Grate Inlet Side Flow Interception Efficiency	4.2-14
4.2-6	Grate Inlet Capacity in Sag Conditions	4.2-16
4.2-7	Curb-Opening and Slotted Drain Inlet Length for Total Interception.....	4.2-18
4.2-8	Curb-Opening and Slotted Drain Inlet Interception Efficiency.....	4.2-19
4.2-9	Depressed Curb-Opening Inlet Capacity in Sump Locations.....	4.2-22
4.2-10	Curb-Opening Inlet Capacity in Sump Locations	4.2-23
4.2-11	Curb-Opening Inlet Orifice Capacity for Inclined and Vertical Orifice Throats.....	4.2-24
4.2-12	Storm Drain System Computation Form	4.2-27
4.2-13	Nomograph for Solution of Manning's Formula for Flow in Storm Sewers	4.2-31
4.2-14	Nomograph for Computing Required Size of Circular Drain, Flowing Full (n = 0.013 or 0.015).....	4.2-32
4.2-15	Concrete Pipe Flow Nomograph	4.2-33
4.2-16	Values of Various Elements of Circular Section for Various Depths of Flow	4.2-34
4.2-17	Hydraulic Grade Line Computation Form.....	4.2-35
4.3-1	Culvert Flow Conditions	4.3-7
4.3-2a	Headwater Depth for Concrete Pipe Culvert with Inlet Control.....	4.3-8
4.3-2b	Head for Concrete Pipe Culverts Flowing Full	4.3-9
4.3-3	Discharge Coefficients for Roadway Overtopping	4.3-12
4.3-4	Culvert Design Calculation Form.....	4.3-15
4.4-1	Manning's n Values for Vegetated Channels	4.4-7
4.4-2	Nomograph for the Solution of Manning's Equation.....	4.4-12
4.4-3	Solution of Manning's Equation for Trapezoidal Channels	4.4-13
4.4-4	Trapezoidal Channel Capacity Chart	4.4-15
4.4-5	Open Channel Geometric Relationships for Various Cross Sections	4.4-18
4.4-6	Protection Length, L _p , Downstream of Channel Bend.....	4.4-21
4.4-7	Riprap Lining Bend Correction Coefficient	4.4-23
4.4-8	Riprap Lining Specific Weight Correction Coefficient.....	4.4-24
4.4-9	Riprap Lining d ₃₀ Stone Size – Function of Mean Velocity and Depth.....	4.4-25

4.4-10	Riprap Lining Thickness Adjustment for $d_{85}/d_{15} = 1.0$ to 2.3	4.4-27
4.4-11	Example Nomograph #1	4.4-32
4.4-12	Example Nomograph #2	4.4-34
4.4-13	Example Nomograph #3	4.4-35
4.4-14	Example Nomograph #4	4.4-38
4.4-15	Example Nomograph #5	4.4-39
	Unnumbered Figures – Section 4.4.12 (Open Channel Design Figures)	4.4-40
	Unnumbered Figures – Section 4.4.13 (Triangular Channel Nomograph)	4.4-68
	Unnumbered Figures – Section 4.4.14 (Grassed Channel Design Figures).....	4.4-69
4.5-1	Riprap Size for Use Downstream of Energy Dissipator	4.5-4
4.5-2	Design of Riprap Apron under Minimum Tailwater Conditions	4.5-6
4.5-3	Design of Riprap Apron under Maximum Tailwater Conditions	4.5-7
4.5-4	Riprap Apron	4.5-8
4.5-5	Details of Riprap Outlet Basin	4.5-12
4.5-6	Dimensionless Rating Curves for the Outlets of Rectangular Culverts on Horizontal and Mild Slopes.....	4.5-13
4.5-7	Dimensionless Rating Curve for the Outlets of Circular Culverts on Horizontal and Mild Slopes	4.5-14
4.5-8	Relative Depth of Scour Hole Versus Froude Number at Brink of Culvert with Relative Size of Riprap as a Third Variable	4.5-15
4.5-9	Distribution of Centerline Velocity for Flow from Submerged Outlets to be Used for Predicting Channel Velocities Downstream from Culvert Outlet where High Tailwater Prevails	4.5-17
4.5-10	Riprap Basin Design Form	4.5-20
4.5-11	Schematic of Baffled Outlet.....	4.5-22

List of Charts

Chart 1	Headwater Depth for Concrete Pipe Culverts with Inlet Control.....	4.3-19
Chart 2	Headwater Depth for C.M. Pipe Culverts with Inlet Control	4.3-20
Chart 3	Headwater Depth for Circular Pipe Culverts with Beveled Ring Inlet Control	4.3-21
Chart 4	Critical Depth Circular Pipe	4.3-22
Chart 5	Head for Concrete Pipe Culverts Flowing Full $n = 0.012$	4.3-23
Chart 6	Head for Standard C.M. Pipe Culverts Flowing Full $n = 0.024$	4.3-24
Chart 7	Head for Structural Plate Corr. Metal Pipe Culverts Flowing Full $n = 0.0328$ to 0.0302	4.3-25
Chart 8	Headwater Depth for Box Culverts with Inlet Control.....	4.3-26
Chart 9	Headwater Depth for Inlet Control Rectangular Box Culverts Flared Wingwalls 18° to 33.7° & 45° with Beveled Edge at Top of Inlet	4.3-27
Chart 10	Headwater Depth for Inlet Control Rectangular Box Culverts 90° Headwall Chamfered or Beveled Inlet Edges	4.3-28
Chart 11	Headwater Depth for Inlet Control Single Barrel Box Culverts Skewed Headwalls Chamfered or Beveled Inlet Edges	4.3-29
Chart 12	Headwater Depth for Inlet Control Rectangular Box Culverts Flared Wingwalls . Normal and Skewed Inlets $\frac{3}{4}$ " Chamfer at Top of Opening	4.3-30
Chart 13	Headwater Depth for Inlet Control Rectangular Box Culverts Offset Flared Wingwalls and Beveled Edge at Top of Inlet	4.3-31
Chart 14	Critical Depth Rectangular Section	4.3-32
Chart 15	Head for Concrete Box Culverts Flowing Full $n = 0.012$	4.3-33
Chart 16	Headwater Depth for C.M. Box Culverts Rise/Span < 0.3 with Inlet Control	4.3-34
Chart 17	Headwater Depth for C.M. Box Culverts $0.3 \leq$ Rise/Span < 0.4 with Inlet Control.....	4.3-35
Chart 18	Headwater Depth for C.M. Box Culverts $0.4 \leq$ Rise/Span < 0.5 with Inlet Control.....	4.3-36
Chart 19	Headwater Depth for C.M. Box Culverts $0.5 \leq$ Rise/Span with Inlet Control	4.3-37

Chart 20	Dimensionless Critical Depth Chart for C.M. Box Culverts.....	4.3-38
Chart 21	Head for C.M. Box Culverts Flowing Full Concrete Bottom Rise/Span < 0.3	4.3-39
Chart 22	Head for C.M. Box Culverts Flowing Full Concrete Bottom $0.3 \leq \text{Rise/Span}$ < 0.4	4.3-40
Chart 23	Head for C.M. Box Culverts Flowing Full Concrete Bottom $0.4 \leq \text{Rise/Span}$ < 0.5	4.3-41
Chart 24	Head for C.M. Box Culverts Flowing Full Concrete Bottom $0.5 \leq \text{Rise/Span}$	4.3-42
Chart 25	Head for C.M. Box Culverts Flowing Full Corrugated Metal Bottom 0.3 < Rise/Span	4.3-43
Chart 26	Head for C.M. Box Culverts Flowing Full Corrugated Metal Bottom 0.4 $\leq \text{Rise/Span} < 0.5$	4.3-44
Chart 27	Head for C.M. Box Culverts Flowing Full Corrugated Metal Bottom 0.4 $\leq \text{Rise/Span} < 0.5$	4.3-45
Chart 28	Head for C.M. Box Culverts Flowing Full Corrugated Metal Bottom 0.5	4.3-46
Chart 29	Headwater Depth for Oval Concrete Pipe Culverts Long Axis Horizontal with Inlet Control	4.3-47
Chart 30	Headwater Depth for Oval Concrete Pipe Culverts Long Axis Vertical with Inlet Control.....	4.3-48
Chart 31	Critical Depth Oval Concrete Pipe Long Axis Horizontal	4.3-49
Chart 32	Critical Depth Oval Concrete Pipe Long Axis Vertical	4.3-50
Chart 33	Head for Oval Concrete Pipe Culverts Long Axis Horizontal or Vertical Flowing Full $n = 0.012$	4.3-51
Chart 34	Headwater Depth for C.M. Pipe-Arch Culverts with Inlet Control	4.3-52
Chart 35	Headwater Depth for Inlet Controls Structural Plate Pipe-Arch Culverts 18 in. Radius Corner Plate Projecting or Headwall Inlet Headwall with or without Edge Bevel	4.3-53
Chart 36	Headwater Depth for Inlet Control Structural Plate Pipe-Arch Culverts 31 in. Radius Corner Plate Projecting or Headwall Inlet Headwall with or without Edge Bevel	4.3-54
Chart 37	Critical Depth Standard C.M. Pipe Arch.....	4.3-55
Chart 38	Critical Depth Structural Plate C.M. Pipe Arch 18 in. Corner Radius	4.3-56
Chart 39	Head for Standard C.M. Pipe-Arch Culverts Flowing Full $n = 0.024$	4.3-57
Chart 40	Head for Structural Plate C.M. Pipe Arch Culverts 18 in. Corner Radius Flowing Full $n = 0.0327$ to 0.0306	4.3-58
Chart 41	Headwater Depth for C.M. Arch Culverts $0.3 \leq \text{Rise/Span} < 0.4$ with Inlet Control.....	4.3-59
Chart 42	Headwater Depth for C.M. Arch Culverts $0.4 \leq \text{Rise/Span} < 0.5$ with Inlet Control.....	4.3-60
Chart 43	Headwater Depth for C.M. Arch Culverts $0.5 \leq \text{Rise/Span}$ with Inlet Control.....	4.3-61
Chart 44	Dimensionless Critical Depth Chart for C.M. Arch Culverts.....	4.3-62
Chart 45	Head for C.M. Arch Culverts Flowing Full Concrete Bottom $0.3 \leq \text{Rise/Span}$ < 0.4	4.3-63
Chart 46	Head for C.M. Arch Culverts Flowing Full Concrete Bottom $0.4 \leq \text{Rise/Span}$ < 0.5	4.3-64
Chart 47	Head for C.M. Arch Culverts Flowing Full Concrete Bottom $0.5 \leq \text{Rise/Span}$	4.3-65
Chart 48	Head for C.M. Arch Culverts Flowing Full Earth Bottom ($n_b = 0.022$) 0.3 $\leq \text{Rise/Span} < 0.4$	4.3-66
Chart 49	Head for C.M. Arch Culverts Flowing Full Earth Bottom ($n_b = 0.022$) 0.4 $\leq \text{Rise/Span} < 0.5$	4.3-67
Chart 50	Head for C.M. Arch Culverts Flowing Full Earth Bottom ($n_b = 0.022$) 0.5 $\leq \text{Rise/Span}$	4.3-68
Chart 51	Inlet Control Headwater Depth for Circular or Elliptical Structural Plate C.M. Conduits	4.3-69
Chart 52	Inlet Control Headwater Depth for High and Low Profile Structural Plate C.M. Arch	4.3-70
Chart 53	Dimensionless Critical Depth Chart for Structural Plate Ellipse Long Axis Horizontal	4.3-71

Chart 54	Dimensionless Critical Depth Chart for Structural Plate Low- and High-Profile Arches	4.3-72
Chart 55	Throat Control for Side-Tapered Inlets to Pipe Culvert (Circular Section Only) ...	4.3-73
Chart 56	Face Control for Side-Tapered Inlets to Pipe Culverts (Non-Rectangular Sections Only)	4.3-74
Chart 57	Throat Control for Box Culverts with Tapered Inlets	4.3-75
Chart 58	Face Control for Box Culverts with Side-Tapered Inlets	4.3-76
Chart 59	Face Control for Box Culverts with Slope Tapered Inlets	4.3-77
Chart 60	Discharge Coefficients for Roadway Overtopping	4.3-78